EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 13406 | port with receiv$3 with packet | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:07 |
| L2 | 894 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:12 |
| L3 | 289 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with paralle$3 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:15 |
| L4 | 293 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:16 |
| L5 | 41 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or partial$3) with packet | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:20 |

| L6 | 65 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or part$3) with packet | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:20 |
|---|---|---|---|---|---|---|
| L7 | 16 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or part$3) with packet and (transmit$4 or forward $3 or send$3) with (other or another or second or next) with port | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:21 |
| L13 | 14 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or part$3) with packet and thread$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:34 |
| L14 | 14 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or part$3) with packet and thread$1 and sequenc $3 with number$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:34 |

| L15 | 11 | port with receiv$3 with packet and control with (data or information) with (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) with (portion $3 or part$3) with packet and thread$1 and (sequenc$3 with number $1) with (portion or part $3) with packet | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:40 |
|---|---|---|---|---|---|---|
| L16 | 7 | port and (portion$3 or part $3) with packet with (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu $6) and thread$1 and (sequenc$3 with number $1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:45 |
| L17 | 8 | (portion$3 or part$3) with packet with (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) and thread$1 and (sequenc$3 with number$1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:46 |
| L18 | 29 | (portion$3 or part$3) with packet same (process$3 or procedur$4 or proceed $3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu $6) and thread$1 and (sequenc$3 with number $1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:47 |
| L19 | 459 | (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and (queu$6 or enqueu$6) and thread$1 and (sequenc$3 with number$1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:49 |

| L20 | 31 | (portion$3 or part$3) with packet same (process$3 or procedur$4 or proceed $3 or method or technique or routine or operat$3) with parallel$3 and thread$1 and (sequence$3 with number $1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:49 |
| L21 | 0 | (portion$3 or part$3) with packet same (process$3 or procedur$4 or proceed $3 or method or technique or routine or operat$3) with parallel$3 and thread$1 and (sequenc$3 with number $1) and @ad<"19991229" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:49 |
| L22 | 95 | (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 and thread$1 and (sequenc$3 with number$1) and @ad<"19991229" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:49 |
| L23 | 12 | (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 same thread$1 and (sequenc$3 with number$1) and @ad<"19991229" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:50 |
| L24 | 10 | (portion$3 or part$3) with packet and (process$3 or procedur$4 or proceed$3 or method or technique or routine or operat$3) with parallel$3 same thread$1 and (sequenc$3 with number$1) and @ad<"19991229" and port | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2008/10/26 08:52 |

10/26/2008 8:55:41 AM